



Link To Perfection

2025-2026 DEALER CATALOGUE



Index

Introduction

<i>ECO Friendly</i>	<i>P. 02</i>
<i>Link to Perfection</i>	<i>P. 03</i>
<i>Awards</i>	<i>P. 04</i>
<i>Champion Story</i>	<i>P. 05</i>

Products

<i>New Products</i>	<i>P. 07</i>	<i>Z Series</i>	<i>P. 32</i>
<i>e-Bike Series</i>	<i>P. 11</i>	<i>K Series</i>	<i>P. 34</i>
<i>EXACT Chainrings & Sprockets</i>	<i>P. 15</i>	<i>HL & B Series</i>	<i>P. 35</i>
<i>REACT Cassettes</i>	<i>P. 17</i>	<i>Tools</i>	<i>P. 37</i>
<i>DLC</i>	<i>P. 21</i>	<i>Connecting Links</i>	<i>P. 41</i>
<i>X Series</i>	<i>P. 23</i>	<i>Maintenance</i>	<i>P. 43</i>
<i>EPT</i>	<i>P. 27</i>	<i>K Shop</i>	<i>P. 45</i>
<i>RB</i>	<i>P. 31</i>	<i>Promotional Goods</i>	<i>P. 46</i>

ECO Friendly

Cycling with Earth

Since 1977, KMC has enhanced the technology behind bicycle chains through research, development and continuous innovation. Because of valuable feedback from the world's top professional racers and being repeatedly honored with revered Design Awards, KMC will continuously pursue perfection.

In addition to KMC's devotion to enhancing professional performance, and being a member of the Green Transportation Industry, KMC became the world's first chain manufacturer to obtain a carbon footprint certificate in 2012. This represents a new milestone of KMC's ECO solution: a new era of carbon footprint awareness where KMC regularly assesses and reduces its environmental impact.

As a professional chain manufacturer, KMC will continue to innovate and achieve its goals in the pursuit of perfection. Expect KMC chains to accompany more of the world's top racers in reaching their achievements and glory. Furthermore, enjoy a fantastic cycling experience and a cleaner environment that KMC has helped to foster.



Link to perfection

“Link to Perfection” is not just a slogan, but a concrete fact that has been proven by numerous top racers’ acclaimed victories: Olympic Road Bike and MTB Medalists, UCI World Championships, the Vuelta a Espana and Tour de France, National Road Bike and MTB Championships, to name a few.

KMC integrates all drivetrain system details into its chain designs to deliver enhanced product functionality, sophisticated manufacturing techniques, and innovative production methods. KMC chains have superior performance with faster and more accurate shifting, higher transmission efficiency, and advanced durability. KMC also invests in premium coating technology and color development to create breakthroughs in extended chain life and outlook.

The secret of X

Titanium Nitride Coating

Less friction, less maintenance and high reliability.

Triple X Durability

3X-SP treatment of chain part, lasts longer and goes farther than any other chains on the market.

High Rigidity

More efficient power transfer of your energy output through the drivetrain to your rear wheel.

Non Directional

Works perfectly regardless of the direction when installed.

Optimal Chamfering

Chamfering in the places that you need it and without in the places that you don't, creates superior shifting performance.

Mud Shedding Design

Hollow plates allow mud and other debris to be expelled from the chain on all sides.

Super Light Weight


KMC continues its title as champion of the lightest chain on the market thanks to further weight reduction. A lighter bike equals more power with less energy.

Highest Pin Power

At over 400 kgf, the best pin power on the market allows shifting under heavy load and stressed conditions.

XX Bridge

Upgraded shifting efficiency and compatibility on all major systems.



KMC Awards



2021-2009
German iF Design
Award



Taiwan
Excellence
2025-2015, 2010



reddot design award
winner 2014, 2013, 2011



2025-2012
Taipei Cycle d&i
Awards

18 iF Awards in 13 consecutive years
5 Red Dot Awards in 3 years

2025 Taiwan Excellence Silver Award - 12 speed TT Racing Chain
2025 TAIPEI CYCLE d&i Award Organized by iF - Waxed Chain
2025 TAIPEI CYCLE Gold Award - SuperDURO
2023 TAIPEI CYCLE d&i Award Organized by iF - Racing Duo
2022 TAIPEI CYCLE d&i Award- eCargo chain
2022 Taiwan Excellence Award - e-Bike Solution
2022 Taiwan Excellence Award - TT Racing Chain
2021 TAIPEI CYCLE d&i Award Organized by iF - e-Bike Solution
2021 TAIPEI CYCLE d&i Award Organized by iF - TT Racing Chain
2021 Taiwan Excellence Award - KMC Premium e-Bike Series
2020 TAIPEI CYCLE d&i Award Organized by iF -
e12: e-Bike dedicated chain
2020 Taiwan Excellence Award - e101 EPT chain
2019 Taiwan Excellence Award - 12 speed X chain
2018 TAIPEI CYCLE d&i Award Organized by iF - All-New Z1eHX
2018 Taiwan Excellence Award - New X series chain
2017 TAIPEI CYCLE d&i Award Organized by iF - 12 speed X chain
2017 Taiwan Excellence Award - X-EPT Series
2017 Taiwan Excellence Award - BMX Kool Knight Chain

* German iF Design Award and TAIPEI CYCLE d&i Award organized by iF



TAIPEI CYCLE
d&i awards 2025
by iF
GOLD

TAIWAN EXCELLENCE
SILVER AWARD 2025

CHAMPION STORY

More and more world-class professional riders have proven that KMC CHAIN is the DNA of a champion. KMC CHAIN attributes this achievement to its technical innovations and professional racers' experiences, as well as the cooperation with the advanced bicycle industry alliances.

Our strong policy of branding, top-quality thinking, and customer dedication, has been proven and honored by many world-class bicycle brands, professional racers and satisfied end-users allowing KMC products to stand out among all others.

"Champion is our DNA" not only applies to professional racers but to KMC as well.



KMC RIDLEY MOUNTAINBIKE RACING TEAM

BLUMS MARTINS

2025 Latvian National Championships XCO/XCM/XCC Men Elite 1st

2024 WHOOP UCI Mountain Bike World Cup XCC 2nd

Julian Schelb

2024 UEC Mountain European Continental Championships XCC 2nd

2024 UEC Mountain European Continental Championships XCO 3rd

Lia Schrievers

2024 UCI MTB ELIMINATOR WORLD CHAMPIONSHIPS XCE 2nd

2024 German National Championship – XCO/XCC 1st

Kelsey Urban

2025 American National Championships XCO/XCC 1st



TEAM CAJA RURAL - SEGUROS RGA

2024 Tour of Qinghai Lake Road Race Team 1st

Guillermo Thomas Silva

2024 Tour of Qinghai Lake Road Race 2nd

Íuri Leitão

2024 Olympic Omnium Men Elite Gold



Triathlete

FREDERIC FUNK

2024 Dubai T100 Triathlon World Championship Final Fastest

80KM Bike Split

2023 Ironman 70.3 World Championship 2nd



FRAMEWORKS RACING

ASA VERMETTE

2025 Red Bull Hardline In Wales, UK (The youngest) Winner

2024 Andorra UCI MTB World Championships Downhill Men 1st

2024 UK WHOOP UCI Mountain Bike World Cup Downhill Men 1st

2024 Polish WHOOP UCI Mountain Bike World Cup Downhill Men 1st

KMC GO

//// KMC GO WAXED CHAINS

//// KMC GO CHAIN WAX



- Long Lasting
- Clean Performance
- Reduces Drivetrain Friction
- Ready To Use

 BIODEGRADABLE ECO-FRIENDLY



DLC12 / DLC11



TT12 / TT11



XSL Flat



X Flat



X12L



X12



X11SL



X11EL

TT Racing Chain

- **Specifically Designed for the Ultimate Competitor**

The first chain to be completely designed for competitive environments with each component being meticulously crafted with speed and efficiency as top priorities. Go farther, with less effort, faster!

- **Farther & Faster: Enhanced Drivetrain Efficiency**

Tailored forging, and heat treatment techniques have created the ultimate racing chain. Optimal chamfered plates, enhanced shifting design, light weight components, and concise rigidity all coalesce to ride farther while improving drivetrain efficiency.

- **Efficiently Reach & Maintain Maximum Speed**

The unique design complements speed and efficiency via enhanced rigidity and reduced chain and gear tooth interference. Acceleration is increased to effectively reach and maintain top speed with less effort.



/// 12~11 SPEED

- Size: 1/2" x 11/128"
- MissingLink (Ref. P41 & P42)



TT12



- Enhanced Efficiency
- Faster Acceleration
- Maintain Momentum
- Save Energy

TT11



- Enhanced Efficiency
- Faster Acceleration
- Maintain Momentum
- Save Energy

Glide series

- **Increased Durability**

A premium chain offering both rigidity and tenacity that is optimally hardened through perfectly-tuned heat treatment.

- **Smooth and Decisive Shifting Performance**

Special plate design for wider cog teeth enables instant shifts and efficient gear harmonization.

- **Highest Torsional and Tensile Strength**

Patented Shield Tech riveting and oversized reinforced e-pins achieve industry-leading pin power to withstand lateral stress.



11~9 SPEED

- **Compatibility:** SHIMANO CUES 11/10/9 speed systems.
- **Size:** 1/2" x 11/128"
- **MissingLink** (Ref. P41 & P42)



eGlide



- Highest Torsion Resistance
- High Tensile Strength
- Shield Tech Riveting
- Dynamic Chamfer Angles Design
- Triple X Durability
- Color: Silver

XGlide



- Dynamic Chamfer Angles Design
- Double X Durability
- Color: Silver, Gray

e-Bike-SERIES

COMPATIBLE WITH
 **BOSCH**
 e-BIKE SYSTEMS




- Cutting edge technology
- Unparalleled tensile strength

Central motors generate tremendous force to the chain. KMC's e-Bike chains offer unparalleled tensile strength of over 1,000kgf, exceeding international standards by over 30%.

- New shield technology
- Conquer all terrain

With patented new shield technology and oversized re-inforced pin design, to achieve industry leading pin power of 450kgf, KMC's sturdy and stable e-Bike chain enables riders to overcome rugged trails, harsh riding conditions, and sketchy shifting situations with ease and confidence.



- Unparalleled rigidity & strength
- Exceptional durability

Integrated special heat treatment process with exclusive coating technology, a premium chain possesses both rigidity and tenacity with tripled mileage.

12 SPEED NEW

- Compatibility:
 - e12 - Bosch and other eBike systems using Shimano, Campagnolo 12 speed drivetrains.
 - e12SE - Bosch and other eBike systems using SRAM Eagle 12 speed drivetrains (not for systems using Flattop).
- MissingLink (Ref. P41 & P42)



Durability **3X** Pin Power **450kgf**

e12



- Highest Torsion Resistance
- High Tensile Strength
- Dynamic Chamfer Angles Design
- Shield Tech Riveting
- Double X Inner Bridge Shape
- NON-Directional
- Color: Silver, Ti-N(Gold), BlackTech
- Size: 1/2" x 1/128"

e12SE



- Highest Torsion Resistance
- High Tensile Strength
- Dynamic Chamfer Angles Design
- Shield Tech Riveting
- Double X Inner Bridge Shape
- NON-Directional
- Color: Silver, Ti-N(Gold), BlackTech
- Size: 1/2" x 1/128"

11~8 SPEED

- **Compatibility:** Bosch and all 11/10/9/8 speed chain driven e-Bike systems.
- **MissingLink** (Ref. P41 & P42)

Durability 3X Pin Power **450kgf**



e11/e10/e9



- Highest Torsion Resistance
- High Tensile Strength
- Dynamic Chamfer Angles Design
- Shield Tech Riveting
- Double Elongated X Bridge shape
- NON-Directional
- Color: Silver
- Size: 1/2" x 1/128"

e8



- Highest Torsion Resistance
- High Tensile Strength
- Shield Tech Riveting
- Double X Bridge shape
- Color: Silver
- Size: 1/2" x 3/32"

SINGLE SPEED

- **Compatibility:** Bosch and all single speed chain driven e-Bike systems.
- **MissingLink** (Ref. P41 & P42)



e101



- Light Weight
- High Rigidity
- Triple X-Durability
- Bushing Construction
- Color: Gold, Silver
- Size: 1/2" x 1/8"

e1



- Double X-Durability
- X Bridge Shape
- Developed for High End Internal Gear Hub
- Color: Gold, Silver
- Size: 1/2" x 3/32"

Z1eHX Wide / Narrow



- Enhanced Durability
- Heavy Duty Structure
- Anti-Drop Design
- Color: Silver
- Size: Wide (1/2"x 1/8")
Narrow (1/2"x 3/32")

e-Cargo Chain

- **Super High Tensile Strength: +1350kgf**


50% higher than industry standards.

- **Industry-leading durability**

Bushing design and optimally hardened through perfectly tuned heat treatment for extended chain life.

- **Strength and Function:**

Wider and thicker plates with special anti-drop plate design.



SINGLE SPEED

- **Compatibility:** All single speed chain driven eCargo systems.
- **Size:** 1/2" x 1/8"
- **MissingLink** (Ref. P41 & P42)

Tensile Strength **+1350kgf**

eCargo1



- eCargo Heavy Duty
- High Rigidity
- Mushroomed Pin
- Bushing Construction
- Diamond Durability
- Anti-Drop Design
- Color: Silver



e-Bike SOLUTIONS

COMPATIBLE WITH



e-BIKE SYSTEMS

DISTANCES (KM)

10,000km+

e101 EPT / KMC Sprocket and Chainring - WIDE powered by KMC

3,500km+

e1 EPT / KMC Sprocket and Chainring - NARROW powered by KMC


Standard

• Complete Drivetrain Sets for e-Bikes

We are the first chain supplier to offer a complete chain and sprocket set by providing chainrings for Bosch mid motors and more. We offer a special tooth profile design that perfectly matches chain rollers for high efficiency via reduced friction and optimal power transfer. Our 40-year chain-making history and market leading position allow a perfect match to provide the best e-Bike drivetrain solution.


Proven confidence allows us to assure that our e-Bike drivetrain products last 10,000 KM. The combination of our e101 EPT chain matched with our 3mm wide sprocket and chainring enable us to ensure performance over 10,000 kilometers.

For narrow drivetrains (1/2" x 3/32"), we offer the e1 EPT and our narrow sprockets and chainrings to ensure performance over 3,500 kilometers.



• Chain Mate

The chainring roller seats between teeth are perfectly matched to KMC chains.



• Optimal Tooth Design

Chain retention is enhanced to hold the rollers in place while preventing chain drop and reducing friction.



EXACT CHAINRINGS

- Shimano Compatibility: EP series motors
- Bosch Compatibility: BDU38, BDU37, BDU31
- Bosch Gen3 Compatibility: BDU33



Bosch NW NEW



- Narrow-Wide teeth design
- Maximum chain retention
- Efficient power transmission
- Direct Mount
- Material: High tensile steel
- Finish : ED Black
- Size: 11/128"

	BDU38 & Newer Motors	BDU37 & BDU31
34T, Chain Line : 55mm		53mm
38T, Chain Line : 50mm		48mm
	52mm	50mm
	55mm	53mm

Shimano NW NEW



- Narrow-Wide teeth design
- Maximum chain retention
- Efficient power transmission
- Direct Mount
- Material: High tensile steel
- Finish : ED Black
- Size: 11/128"

- 34T, Chain Line: 55mm
- 38T, Chain Line: 47.5mm , 50mm

Bosch Gen 3



- Remarkable chain retention
- Efficient power transmission
- Direct Mount
- Material : High tensile steel
- Finish : ED Black
- Size: 11/128" Super Narrow
- space requirement

- 38T, Chain Line : 47.5mm, 50mm
- 42T, Chain Line : 47.5mm, 50mm
- 44T, Chain Line : 47.5mm, 50mm

EXACT CHAINRINGS

- Compatibility: BCD104 Spider
- Spider Mount



BCD 104 NW NEW



- Narrow-Wide teeth design
- Maximum chain retention
- Efficient power transmission
- Material: High tensile steel
- Finish : ED Black
- Size: 11/128"

- 34T / 38T

BCD 104



- Material : Aluminum 7075
- Finish : Black
- Size: 1/8" Wide

- 38T / 42T

SPROCKETS

- Material: Chromoly
- Finish: ED Black



Bosch Gen 2 Wide / Super Narrow



- Size: 1/8"
- 18T/19T/20T/21T



- Size: 11/128"
- 18T/19T/20T/21T



- Size: 11/128"
- 15T



Shimano Wide / Narrow



- Size: 3/32" - 1/8"
- 16T



- Size: 3/32" - 1/8"
- 17T / 18T / 19T / 20T / 21T / 22T



- Size: 3/32" - 1/8"
- 27T / 30T



Enviolo Wide / Narrow



- Size: 3/32" - 1/8"
- 16T / 17T / 21T / 22T



- Size: 3/32" - 1/8"
- 18T / 19T / 20T

Drivetrain Solution

REACT Cassettes

- Dual shifting ramps for smooth and steady chain control
- Improved shifting performance

Carefully crafted shifting ramps control chain flow, and create a smoother, quieter system. The lifting-ramp design carries the chain smoothly upward on the cog while unique lowering-ramps adeptly cradle the chain downward for quick alignment. Lifting and lowering ramps result in improved shifting performance, overall stability, and increased component interaction efficiency.



X-Ramp

Lifting Ramp
&
Lowering Ramp




- Cog teeth designed to perfectly pair with KMC chains

KMC cassette cog teeth are designed to operate perfectly with KMC chain components to create a match made in heaven. In addition to increasing durability, efficient cassette tooth and chain engagement reduces friction for ultimate drivetrain coordination.

- Unique wider cog and tooth profile avoids interference
- Increased durability and reduced friction

For maximum durability, KMC REACT LG cassette teeth are 25% thicker and use chromoly steel for the 11T and 13T cogs. Unique tooth profile avoids interference, thus increasing durability and reducing friction.



- Smooth stage design for precise chain indexing
- Preferential gear range options

Gradually increasing cog sizes allow for smoother shifting and precise chain indexing. KMC offers the most preferential cassette sizes, including wide range, to suit all requirements.

/// REACT LG

- Material: High Tensile Steel
- Finish: ED Black
- Compatibility: Shimano CUES System



11 Speed



Range	Combination
11-45T	11-13-15-18-21-24-27-30-34-39-45
11-50T	11-13-15-18-21-24-28-32-36-43-50

10 Speed



Range	Combination
11-39T	11-13-15-18-21-24-27-30-34-39
11-43T	11-13-15-18-21-24-28-32-36-43
11-48T	11-13-15-18-21-24-28-34-41-48

9 Speed




Range	Combination
11-36T	11-13-15-18-21-24-28-32-36
11-41T	11-13-15-18-21-24-28-34-41
11-46T	11-13-15-18-21-24-28-36-46

/// REACT HG

- Material: High Tensile Steel
- Finish: ED Black
- Compatibility: HG Driver



11 Speed



Range	Combination
11-42T	11-13-15-17-19-21-24-28-32-36-42
11-50T	11-13-15-18-21-24-28-32-36-42-50

10 Speed



Range	Combination
11-36T	11-13-15-17-19-21-24-28-32-36
11-42T	11-13-15-18-21-24-28-32-36-42
11-50T	11-13-16-20-24-28-32-36-42-50

9 Speed



Range	Combination
11-32T	11-13-15-17-19-21-24-28-32
11-36T	11-13-15-18-21-24-28-32-36
11-42T	11-13-16-20-24-28-32-36-42
11-46T	11-13-16-20-24-28-34-40-46
11-50T	11-13-16-20-24-28-34-42-50

8 Speed



Range	Combination
11-32T	11-13-15-18-21-24-28-32
11-36T	11-13-16-20-24-28-32-36
11-40T	11-13-16-20-24-28-34-40
11-42T	11-13-16-20-24-28-34-42

e-Bike Cassette Compatibility Table

Cassette speed	Compatibility	Model	11-32	11-36	11-39	11-40	11-41	11-42	11-43	11-45	11-46	11-48	11-50
11	SHIMANO CUES System	React LG								●			●
	HG Driver	React HG						●					●
10	SHIMANO CUES System	React LG			●				●			●	
	HG Driver	React HG		●				●					●
9	SHIMANO CUES System	React LG		●			●				●		
	HG Driver	React HG	●	●				●			●		●
8	HG Driver	React HG	●	●		●		●					


Chain Compatibility

Cassette speed	Model	Chain			
11	React LG	eGlide XGlide			
	React HG	e11	X11SL	X11EL	X11
10	React LG	eGlide XGlide			
	React HG	e10	X10SL	X10EL	X10
9	React LG	eGlide XGlide			
	React HG	e9	X9SL	X9	
8	React HG	e8 X8			

DLC-SERIES

- **Visual impact**
- **DLC technology - unique outlook with supreme functionality**

DLC black infused with vivid color options makes the unique and attractive outlook of DLC chain a powerful enhancement to your bike.




- **Ultra-smooth control beyond imagination**
- **Harmonize your drivetrain**

Shift instantly with the most efficient chain and gear harmonization enabled by KMC's Double X Bridge and Optional Chamfering design.

- **Exceptional performance**
- **Transfer pedaling energy with the highest efficiency**

The strongest and most efficient chain on the market is perfectly designed for an outstanding riding experience.



- **Smooth surface = smooth control**
- **Diamond-hard surface**

Titanium Carbon Nitride coating technology from the Swiss watch industry provides the perfect combination of metal and surface shield technology to upgrade plate hardness by over 300%.

- **Ultra durability**
- **Extended chain and drivetrain life**

DLC chain features top level durability and low friction that provide prolonged mileage of 3 times longer. DLC chains are flawlessly compatible with all types of bicycles, cyclists, and riding environments.



Hollow Pin Link Plate

Hollow Roller Link Plate

- **Premium lightweight technology**
- **Patented configuration**

Redesigned and reinforced, the superior lighter chain.

12 ~ 10 SPEED



- **Compatibility:**
DLC12 - SHIMANO, Campagnolo, and other 12 speed drivetrains.
DLC11/10 - SHIMANO, Campagnolo and SRAM 11/10 speed drivetrain systems.
- **Size:** 1/2" x 11/128"
- **MissingLink:** CL552 (Non Re-usable) for 12 speed
CL555R (Re-usable) for 11 speed
CL559R (Re-usable) for 10 speed

DLC 12



- Titanium Carbon Nitride
- Highest Pin Power
- Dynamic Chamfer Angles Design
- Diamond Durability
- Double X Inner Bridge Shape
- NON-Directional
- Color:
Black/Blue, Black/Celeste, Black/Green,
Black/Orange, Black/Pink, Black/Red,
Black/Yellow

DLC 11 / DLC 10



- Titanium Carbon Nitride
- Super Light
- Highest Pin Power
- Diamond Durability
- Dynamic Chamfer Angles Design
- Double Elongated X Bridge Shape
- NON-Directional
- Color:
Black/Red, Black, Black/Blue,
Black/Green, Black/Orange,
Black/Yellow

X-SERIES

- **Compatibility On All Leading Derailleur Systems**

Choose the corresponding speed and KMC handles the rest for you. KMC chain is compatible with all leading derailleur systems, mixed drivetrains, and all types of bicycles.



- **Added chamfering for smooth operation**

Precisely calculated for outer plates, the four smart chamfering areas ingeniously avoid interference between chain and cassette teeth to guarantee quiet and safe performance. Compatible with both single (1x) and multiple chainrings.



- **Impeccable precision**
- **Phenomenal shifting performance**

With craftsmanship second to none, KMC designed chains offer a unique configuration to instantly capture a shift. Phenomenal shifting performance and easier drivetrain adjustment are benefits of KMC's expertise.



- **Asymmetrical chamfering avoids interference**

Designed for varying chainring and cassette teeth, KMC's unique chamfering enables smoother gear tooth insertion and efficient interaction between chain and cogs, drastically improving cycling safety and drivetrain stability.

13~12 SPEED **NEW**

- **Compatibility:** SRAM Flattop and T-TYPE system.
- **Size:** 1/2" x 11/128"
- **MissingLink** (Ref. P41 & P42)



XSL Flat



- Super Light
- Flattop Plate Design
- Double X inner Brige Shape
- Open Inner and Outer Plate Design
- Extra StretchProof Hollow Pin
- Highest Pin Power
- Triple X Durability
- Color: Ti-N(Gold), Silver/Silver, Aurora

X Flat



- Flattop Plate Design
- Double X inner Brige Shape
- Highest Pin Power
- Double X Durability
- Color: Ti-N(Gold)/Jet Black, Ti-N(Gold), Black/Black, Silver/Silver, Silver/Black, Aurora

12 SPEED NEW

- **Compatibility:** Shimano and Campagnolo 12 speed drivetrains.
- **Size:** 1/2" x 11/128"
- **MissingLink** (Ref. P41 & P42)



X12L



- Dynamic Chamfer Angles Design
- Double X Inner Bridge Shape
- Extra StretchProof Hollow Pin
- Highest Pin Power
- Triple X Durability
- NON-Directional
- Color: Ti-N(Gold), Silver/Silver, Aurora

X12





- Dynamic Chamfer Angles Design
- Highest Pin Power
- Double X Inner Bridge Shape
- Double X Durability
- NON-Directional
- Color: Ti-N(Gold)/Jet Black, Silver, BlackTech, Ti-N(Gold), Silver/Black, Aurora



- **Compatibility:** SRAM Eagle 12 speed drivetrains (not for systems using Flattop).
- **Size:** 1/2" x 11/128"
- **MissingLink** (Ref. P41 & P42)



X12SE



- Dynamic Chamfer Angles Design
- Double X Inner Bridge Shape
- Highest Pin Power
- Double X Durability
- NON-Directional
- Color: Ti-N(Gold)/Jet Black, Ti-N(Gold), Silver, Black/Black, Silver/Black,

11~10 SPEED

- Compatibility: SHIMANO, Campagnolo and SRAM 11/10 speed drivetrain systems.

- Size: 1/2" x 11/128"

- MissingLink (Ref. P41 & P42)




X11SL



- Super Light
- Double Elongated X Bridge Shape
- Dynamic Chamfer Angles Design
- Open Inner and Outer Plate Design
- Extra Stretchproof Hollow Pin
- Triple X-Durability
- NON-Directional
- Color: Ti-N(Gold)/Black, Ti-N(Gold), Silver



X11EL




- Extra Light
- Double Elongated X Bridge Shape
- Dynamic Chamfer Angles Design
- Open Inner and Outer Plate Design
- Triple X-Durability
- NON-Directional
- Color: BlackTech, Ti-N(Gold), Silver


X11



- Double Elongated X Bridge Shape
- Dynamic Chamfer Angles Design
- Double X-Durability
- NON-Directional
- Color: Ti-N(Gold), Silver/Black, Aurora
- Vivid Color Options:




X10SL



- Super Light
- Double Elongated X Bridge Shape
- Dynamic Chamfer Angles Design
- Open Inner and Outer Plate Design
- Extra Stretchproof Hollow Pin
- Triple X-Durability
- NON-Directional
- Color: Ti-N(Gold), Silver

X10EL



- Extra Light
- Double Elongated X Bridge Shape
- Dynamic Chamfer Angles Design
- Open Inner and Outer Plate Design
- Triple X-Durability
- NON-Directional
- Color: BlackTech, Ti-N(Gold), Silver

X10



- Double Elongated X Bridge Shape
- Dynamic Chamfer Angles Design
- Double X-Durability
- NON-Directional
- Color: Ti-N(Gold), Silver/Black, Aurora
- Vivid Color Options:



9 SPEED

- **Compatibility:** SHIMANO and SRAM 9 speed drivetrain systems.
- **Size:** 1/2" x 11/128"
- **MissingLink (Ref. P41 & P42)**




X9SL



- Super Light
- Open Inner and Outer Plate Design
- Extra Stretchproof Hollow Pin
- Double X-Durability
- Double X Bridge Shape
- Color: Ti-N(Gold), Silver

X9



- X-Durability
- Double X Bridge Shape
- Color: Silver, Ti-N(Gold), Silver/Gray
- Vivid Color Options:




8 SPEED

- **Compatibility:** SHIMANO and SRAM 8 speed drivetrain systems
- **Size:** 1/2" x 3/32"
- **MissingLink (Ref. P41 & P42)**



X8



- X-Durability
- Double X Bridge Shape
- Color: Silver, Ti-N(Gold), Silver/Gray

EPT-SERIES ECO ProTeQ

- **Worry-free component**
- **Low maintenance**

With its anti-rust, stain resistant and anti-corrosion functions, EPT chains are low maintenance, worry-free drivetrain components that can be hosed down after a muddy trail or left aside for your next ride.



- **Eco ProTeQ weatherproof chain**
- **Ultimate protection**

EPT chain offers ultimate protection with all chain components being coated before assembly. Premium anti-rust coating technology enables EPT chain to conquer the harshest weather and road conditions such as road salt, snow, storms, and more.

- **Outstanding anti-rust defense**
- **Surpasses 650 hours salt spray test**

EPT chain is able to withstand 650 hours salt spray test without rusting – 10 times more anti rust defense than a standard chain.



- **Authenticated eco-friendly production**
- **Awarded internationally & industry renowned**

With its eco-friendly manufacturing process which surpasses all environmental standards, EPT anti-rust chain is the modern concept of going Green.

12 SPEED For e-Bike NEW

- **Compatibility:**
 - e12 - Bosch and other eBike systems using Shimano, Campagnolo 12 speed drivetrains.
 - e12SE - Bosch and other eBike systems using SRAM Eagle 12 speed drivetrains. (not for systems using Flattop)
- **MissingLink (Ref. P41 & P42)**



Durability **3X** Pin Power **450kgf**

e12



- ECO ProTeQ Anti-Rust Technology
- Highest Torsion Resistance
- High Tensile Strength
- Dynamic Chamfer Angles Design
- Shield Tech Riveting
- Size: 1/2" x 11/128"

e12SE



- ECO ProTeQ Anti-Rust Technology
- Highest Torsion Resistance
- High Tensile Strength
- Dynamic Chamfer Angles Design
- Shield Tech Riveting
- Size: 1/2" x 11/128"

/// 11~8 SPEED For e-Bike

- **Compatibility:**
Bosch and all other 11/10/9/8 speed chain driven e-Bike systems.
- **MissingLink** (Ref. P41 & P42)

Durability **3X** Pin Power **450kgf**



e11 / e10 / e9



- ECO ProTeQ Anti-Rust Technology
- Durability 3X
- Highest Torsion Resistance
- High Tensile Strength
- Dynamic Chamfer Angles Design
- Shield Tech Riveting
- Size: 1/2" x 11/128"

e8



- ECO ProTeQ Anti-Rust Technology
- Highest Torsion Resistance
- High Tensile Strength
- Dynamic Chamfer Angles Design
- Shield Tech Riveting
- Size: 1/2" x 3/32"

/// Single SPEED For e-Bike

- **Compatibility:**
Bosch and all single speed chain driven e-Bike systems.
- **MissingLink** (Ref. P41 & P42)



eCargo1



- ECO ProTeQ Anti-Rust Technology
- Tensile Strength +1350kgf
- eCargo Heavy Duty
- High Rigidity
- Mushroomed Pin
- Bushing Construction
- Diamond Durability
- Anti-Drop Design
- Size: 1/2" x 1/8"

e101



- ECO ProTeQ Anti-Rust Technology
- Light Weight
- High Rigidity
- Triple X-Durability
- Bushing Construction
- Size: 1/2" x 1/8"

e1



- ECO ProTeQ Anti-Rust Technology
- Double X-Durability
- X Bridge Shape
- Developed for High End Internal Gear Hub
- Size: 1/2" x 3/32"

11~9 SPEED For Shimano CUES

- Compatibility: SHIMANO CUES 11/10/9 speed systems.
- MissingLink (Ref. P41 & P42)



eGlide



- Highest Torsion Resistance
- High Tensile Strength
- Shield Tech Riveting
- Dynamic Chamfer Angles Design
- Triple X Durability
- Size: 1/2" x 11/128"

XGlide



- Dynamic Chamfer Angles Design
- Double X Durability
- Size: 1/2" x 11/128"

12 SPEED NEW

- Compatibility:
 - XFlat - SRAM Flattop and T-TYPE system.
 - X12 - Shimano and Campagnolo 12 speed drivetrains.
 - X12SE - SRAM Eagle 12 speed drivetrains (not for systems using Flattop).
- MissingLink (Ref. P41 & P42)



XFlat



- Flattop Plate Design
- Double X inner Bridge Shape
- Highest Pin Power
- Double X Durability
- NON-Directional
- Size: 1/2" x 11/128"

X12



- ECO ProTeQ Anti-Rust Technology
- Double X Inner Bridge Shape
- Dynamic Chamfer Angles Design
- Double X-Durability
- NON-Directional
- Size: 1/2" x 11/128"

X12SE



- Dynamic Chamfer Angles Design
- Highest Pin Power
- Double X Inner Bridge Shape
- Double X Durability
- NON-Directional
- Size: 1/2" x 11/128"

11~9 SPEED

- **Compatibility:**
11/10 speed - SHIMANO, Campagnolo and SRAM 11/10 speed drivetrain systems.
9 speed - SHIMANO and SRAM 9 speed drivetrain systems.
- MissingLink (Ref. P41 & P42)



X11 / X10



- ECO ProTeQ Anti-Rust Technology
- Double Elongated X Bridge Shape
- Dynamic Chamfer Angles Design
- Double X-Durability
- NON-Directional
- Size: 1/2" x 1/128"

X9



- ECO ProTeQ Anti-Rust Technology
- X-Durability
- Double X Bridge Shape
- Size: 1/2" x 1/128"

8 SPEED

- **Compatibility:**
SHIMANO and SRAM 8 speed drivetrain systems.
- MissingLink (Ref. P41 & P42)



X8



- ECO ProTeQ Anti-Rust Technology
- X-Durability
- Double X Bridge Shape
- Size: 1/2" x 3/32"

Z8.3



- ECO ProTeQ Anti-Rust Technology
- Z Bridge Shape Outer Plate
- Size: 1/2" x 3/32"

Single SPEED

- **Compatibility:**
all Single speed drivetrain systems.
- MissingLink (Ref. P41 & P42)

Z1eHX Wide / Narrow



- ECO ProTeQ Anti-Rust Technology
- Enhanced Durability
- Heavy Duty Structure
- Anti-Drop Design
- Size: Wide (1/2"x 1/8") / Narrow (1/2"x 3/32")

RB-SERIES Anti-Rust series

- **Rust Buster – rust shield**
- **Defense from the elements**

For protecting city/trekking and public bikes which are exposed to the elements, RB offers protection against salt and moisture and improves chain durability.

- **Patented RB anti-rust coating**
- **Surpasses 500 hour salt spray test**

Durable anti-rust coating from a unique surface treatment that surpasses 500 hour Salt Spray Test.

7 SPEED

- **Compatibility:** all 7 speed drivetrain systems
- **Size:** 1/2" x 3/32"
- **MissingLink** (Ref. P41 & P42)



Z7



- RB Anti-Rust Coating

Single SPEED

- **Compatibility:** all Single speed drivetrain systems
- **Size:** Wide (1/2"x1/8") , Narrow (1/2"x3/32")
- **MissingLink** (Ref. P41 & P42)



B1 Wide / Narrow



- RB Anti-Rust Coating
- Bushing

Z1 Wide / Narrow



- RB Anti-Rust Coating
- Anti-Drop Design

S1



- RB Anti-Rust Coating
- Size: 1/2" x 1/8"



Z-SERIES

- High pin power with reinforced durability
- Quieter riding experience

Z Series features stronger pins and riveting to achieve higher pin power and upgraded durability while structural chamfering bring benefits of low noise and smooth pedaling.

- Single speed | Anti-drop design
- Wider, thicker, safer

Anti-drop design combined with wider and thicker chain plates allows for a more stable and safer cycling experience.



9 SPEED

- Compatibility: all 9 speed drivetrain systems
- Size: 1/2" x 11/128"
- MissingLink (Ref. P41 & P42)



Z9



- "Z" Bridge Shape Pin Link Plate
- Color: Gray

8~6 SPEED

- Compatibility: all 8/7/6 speed drivetrain systems
- Size: 1/2" x 3/32"
- MissingLink (Ref. P41 & P42)



Z8.3



- "Z" Bridge Shape Outer Plate
- Color: Gray, Silver/Gray, Silver

Z7



- Color: Gray/Brown, Silver/Brown, Silver

Z6



- Weight Reduction
- Color: Gray, Silver/Gray, Silver

Single SPEED

- Compatibility: all single speed drivetrain systems
- Size: Wide (1/2"x1/8") , Narrow (1/2"x3/32")
- MissingLink (Ref. P41 & P42)



Z1eHX Wide / Narrow



- Enhanced Durability
- Heavy Duty Structure
- Anti-Drop Design
- Color: Silver

Z1 Wide / Narrow



- Anti-Drop Design
- Color: Cool Black, Silver
- Bravo Color Options:



S1



- Color: Brown, Cool Black
- Bravo Color Options:



K-SERIES

FOR BMX & FIXIE

- **Competitor preference**
- **Unlimited hardcore**

Patented K shaped chain plates enable the BMX specific chain to withstand high impacts.

- **Conquering the pack with super lightweight**
- **Ultra durability**

Lightweight, strong, and durable pins are designed to achieve longer mileage and keep your bike weight down.



Single SPEED

- **Compatibility:** all single speed drivetrain systems
- **Size:** Wide (1/2"x1/8") , Narrow (1/2"x3/32")
- **MissingLink** (Ref. P41 & P42)



K1SL Wide/Narrow




- Super Light
- High Torsion Strength
- Special Dynamic Configuration
- Color: Ti-N(GOLD), Silver

K1 Wide/Narrow



- High Torsion Strength
- Special Dynamic Configuration
- Color: Silver/Black, Silver

K1SL Wide/K1 Wide



- **Bravo Color Options:**



HL-SERIES

FOR BMX & FIXIE

- Unique half link design
- Adaptable to all frame geometry

A unique half link design makes this chain highly adaptable to all frame geometry with the possibility of varying chain lengths.

- Kool Knight chain
- Chain for BMX extremes

The unconventional L shaped plates covers the top of the chain to provide better gear tooth protection. The reinforced structure and tensile strength enables the Kool Knight Chain to battle against all extremes.



Single SPEED

- Compatibility: all single speed drivetrain systems
- Size: Wide (1/2"x1/8") , Narrow (1/2"x3/32")
- MissingLink (Ref. P41 & P42)



KK710



- Extreme BMX Sports Design
- iF Product Design Gold Award
- reddot design award
- Double "L" Shaped Plates
- Color: Silver
- Size: 1/2"x 1/8"


HL1B Wide/Narrow

NEW




- Dome Surface Design
- Half Link Design
- Bushing Construction
- Extra StretchProof Mushroomed Pin, Enhanced Durability
- Color: Gold, Silver

HL1L Wide




- StretchProof Hollow Pin
- Light Weight
- Half Link Design
- Color: Gold, Silver

HL1 Wide/Narrow



- Half Link Design
- Easy to Adjust
- Color: Gold, Silver

HL1 Wide/Narrow




- Bravo Color Options:



B-SERIES

- 5-Component Design
- Durability +200%

The best choice for sharing and public bicycles. Our extremely durable bushings are much stronger against wear and tear, and allow the chain to last over twice as long.



Single SPEED

- Compatibility: all single speed drivetrain systems
- Size: Wide (1/2"x1/8") , Narrow (1/2"x3/32")
- MissingLink (Ref. P41 & P42)



B1H Wide



- Heavy Duty Structure
- Bushing Construction
- Color: Silver, Gray

B1 Wide/Narrow



- Bushing Construction
- Color: Cool Black, Silver

Tools



Tools Instructions

KMC GO CHAIN WAX NEW

Wax water emulsion for any bike and condition.



150ml

500ml



Initial Application



Make sure to apply the wax on a properly cleaned chain. Please follow the instructions on our website. Follow the instructions below and repeat after 5 minutes.

- Long Lasting
- Clean Performance
- Reduces Drivetrain Friction
- Ready To Use

BIODEGRADABLE ECO-FRIENDLY

Refreshment of waxed chains



Refreshment of waxed chains: It is not necessary to dewax the chain. Shake bottle and apply to inside of DRY chain while turning the cranks. Do not wipe off. Allow chain to dry completely before cycling – especially in wet conditions.

MissingLink Lever Plus NEW

Minimalist and modern design. Durable, portable, and easy to use, featuring both MissingLink removal and multifunctional tools.



MissingLink Opener



Open the tool wide, so the jaws will clamp the chain rollers one link away on either side of the MissingLink®



Push the master link into the jaws of the tool as you squeeze the handles.



The improved leverage and control will easily open even the tightest links.



QR code to instructional video.



Tire Lever

Optimal lever angle and spoke hook design.



Chain Catcher

Firmly hook on chain.



MissingLink Storage

Double MissingLink Storage.

Mini Chain Tool Wrench / Valve Core Tool / Valve Stem Lock Nut Pliers

Chain Tool PRO NEW


Best for all single to 13 speed chains.



Instructions




Rotate handle counterclockwise until de-riveting pin clears chain cradle, and rotate knob counterclockwise to allow space for chain.



Place chain on chain cradle. Rotate adjustment knob clockwise to secure chain and align chain rivet with de-riveting pin.




Cover chain and hold down with thumb. Rotate handle clockwise until de-riveting pin engages and then tightens against chain rivet.



Release handle by turning counterclockwise and inspect chain for successful rivet removal. Remove chain from tool and separate.

Replacing the De-riveting pin



Rotate the handle counterclockwise. Remove entire handle with pin from chain tool body.



Pull the pin out of the handle. Rotate pin 180 degrees, and insert back into handle. Replace handle into chain tool body.

Extra



Accommodates all chain widths from eCargo and BMX chains to super narrow 13 speed chains.



Additional storage space holds a second reversible pin.

Wrap Strap

Unique enclosed strap storage for maintenance essentials.



High Capacity and Easy Storage



Tools and tubes are easily held with the versatile inner strap; multiple elastic straps firmly hold many items; and an auxiliary mesh pocket stores smaller parts

Strong Nylon Material



Repels mud, sun (UV) and water to perfectly protect your tubes and tools.


Easy Installation



Adjustable mounting strap with anti-slip design for easy installation and release. Compatible on any bike, in any location, and in any position.

Chain Checker NEW

Convenient and intuitive self-check tool with stamped numbers easily diagnoses the chain's condition.




Digital Chain Checker

Our Chain Checker is a handy device that can diagnose the chain's condition. This tool will help you to increase the service to your customers by preventing excessive wear of the chain wheel and cassette.



Mini Chain Tool

A must-have pro tool that is compatible with chains up to 12 speeds. The unique screw-in cap completely covers the chain for safe de-riveting and the bullet-shaped design easily fits in your pocket.



Chain Aid

Multi-function tool optimized for convenience and practicality at home or on the go.



Chain hook: Hook one end of the Chain Aid onto chain. Next, press rear derailleur to loosen chain, allowing chain slack with the disassembly point in the middle, and then hook other end of Chain Aid onto chain.



MissingLink Storage



Valve Core Tool



Chain Catcher




Tire Lever

Sprocket Checker

Use the Sprocket Checker tool to easily know the sprocket status.



Test Link




If the entire checker falls off the sprocket when force is applied, the sprocket is severely worn.

MissingLink Connector and Remover

Specially shaped to prevent damaging the chain when opening and closing the MissingLink.

MissingLink Connector



Lock

1. Insert ends into chain on either side of MissingLink.
2. Hold MissingLink.
3. Apply pressure until click is heard indicating that the MissingLink is closed.

MissingLink Remover



Unlock

1. Insert ends into chain on either side of MissingLink.
2. Hold MissingLink.
3. Apply pressure until MissingLink pins disengage.

CONNECTING LINK

MissingLink


Re-usable



Re-usable MissingLinks have no latch design, which could be used 3 to 5 times.



Non Re-usable



Non Re-usable MissingLinks have a latch design, which can only be used once.





Note

It is suggested to use MissingLink to connect multiple speed chains(7-13 speed), MissingLink is safe and convenient. Please choose the corresponding MissingLink with the chain.

Snap-On Connector



- Connect both ends of the chain with pin link. (Fig.1-A)
- Place Snap-lock outer plate (Fig.1-B) over rivets of pin link (Fig.1-A) and bend chain gently towards you until the snap-lock plate clicks in. (Fig.2)



Bullet Type Connecting Pin





How to install

Step 1:

Connect both ends of the chain with the Bullet Type connecting pin.(Fig.1)

Step 2:

Put the chain on the Chain tool and tighten the adjustment nut.(Fig.2)





Step 3:

Use a Chain tool and turn the rotating bar to advance the Bullet Type connecting pin into the chain. Next, loosen the adjustment nut and remove the chain. (Fig.3)

Step 4:

Use pliers to break off the excess part. (Fig.4)



Caution:

Be sure to check that the connecting pin protrudes uniformly from both sides of the chain after the chain has been joined.

KMC Connector Compatibility Table

Speed	Model	MissingLink Re-usable	MissingLink Non-Re-usable	Snap-on	Bullet pin
13/12	XSL Flat		CL550F		
13/12	X Flat		CL550F		
12	DLC12		CL552		
12	X12L		CL552		
12	X12		CL552		
12	e12		CL552		
11	DLC11	CL555R			
11	e11		CL555		
11~9	eGlide		CL555		
11~9	XGlide		CL554		
11	X11SL	CL555R			
11	X11EL	CL555R			
11	X11	CL555R			
10	DLC10	CL559R			
10	e10		CL559		
10	X10SL	CL559R			
10	X10EL	CL559R			
10	X10	CL559R			
9	e9		CL566e		
9	X9SL		CL566		
9	X9		CL566		
9	Z9		CL566		
8	e8		CL573		
8	X8		CL573		
8	Z8.3		CL573		
7	Z7		CL573		
6	Z6		CL573		
1	eCargo1		CL596e		
1	e101		CLX101		
1	e1		CL573		
1	Z1eHX Wide		ZL592		
1	Z1eHX Narrow		ZL578		
1	Z1 Wide			Z410SO	
1	Z1 Narrow			408SO	
1	B1H Wide		CL512		
1	B1 Wide			Z410SO	
1	B1 Narrow			408SO	
1	S1			Z410SO	
1	K1SL Wide		CL710		
1	K1SL Narrow		CL810		
1	K1 Wide		CL710		
1	K1 Narrow		CL810		
1	KK710				HL710
1	HL1B Wide				HL1B Wide
1	HL1B Narrow				HL1B Narrow
1	HL1 Wide				HL710
1	HL1 Narrow				HL810

MAINTENANCE

Miles of Maintenance

The black dot indicates suggested mileage for maintenance. You can fill in the date of maintenance for reference.

Mileage (KM)	250	500	750	1000	1250	1500	1750	2000	2250	2500	2750	3000
Maintenance												
Basic Maintenance (chain) • Cleaning • Lubrication	●		●		●		●		●		●	
Advanced Maintenance (chain+ chainring + sprocket) • Cleaning and degrease • Lubrication		●		●		●		●		●		●
Measure Chain Wear				●		●		●	●	●	●	●
Check Gears & Derailleurs				●		●		●		●		●
Adjust Cable Tension		●		●		●		●		●		●

For road use, inspect your chain at least once every month or every 250 kilometers (150 miles).
For off road use, inspect your chain at least once every 100 kilometers (60 miles).
Information is for reference only. Maintenance varies per user.

MissingLink Compatibility Chart

KMC MissingLink Model	Speed	Compatibility		
		Campagnolo	KMC	SHIMANO
CL552	12S	●	●	●
CL555	11S	●	●	●
CL555R	11S		●	●
CL559R	10S		●	●
CL559C	10S	●		
CL566R	9S		●	●
CL571R	7、8S		●	
CL573R	6、7、8S		●	●


Re-usable



For re-usable MissingLink, we recommend you to replace the MissingLink after being connected and opened 3-5 times.

CL571R designed for: Z8.1 KMC Chain.
CL573R designed for: Z8.3 KMC Chain.

Non Re-usable




One-time use MissingLink: with latch design

How to Measure a New Chain

Clean the bearing on end of chain and lubricate the pins on MissingLink before putting on new chain.


Method A

Make sure new chain length is the same as original chain length.




Method B

Place chain on largest chainring and largest sprocket and add 2 links.



Method C

Place chain on largest chainring and smallest sprocket and put rear derailleur at 90 degree angle.



The measuring method should base on original brand drivetrain installation.

Two-Step Maintenance

Step 1. Inspection: Measure Chain Wear

Visual Estimation



Put the chain on the outer chain ring, and lift up the chain from the middle of the ring.



If you can lift it more than half a link, the chain or chain ring are probably worn.

Digital Chain Checker



Turn on and press together as shown. Press "Zero" button to calibrate.




Hook on roller and insert into appropriate link (you may need to apply pressure). Look at the digital readout and refer to the next chart.

Chain Checker



Hook A into roller and insert B into appropriate link.



Examine the number displayed on B.

Reference Data

Measurement Data (mm)	0 < 😊 < 0.4	0.4 < 😐 < 0.8	0.8 < 😞
Chain Condition	Good. Perform regular maintenance on chain.	Mild wear. Check your chain after each ride.	Excessive wear. It is suggested to replace chain immediately.

Regularly inspect your chain for: wear / damage / surface condition (rust etc.)


Caution: Excess chain wear will shorten drivetrain life and decrease safety while riding.

Step 2. Cleaning & Lubrication


Waxed chain

Waxing the chain after each ride will keep performance and increase durability.



First time use waxwd chain.



If it's your first time to use waxed chain, please clean your bicycle chainring, cassette, and pulley wheel, then wipe them dry.



Daily care.





For quick daily cleaning, simply wipe the surface with a dry cloth. If the chain is muddy, rinse it off with water. The chain must be dry before applying wax. Shake the bottle and apply to the inside of the chain (one complete turn). Do not wipe off excess wax.





More information for KMC GO WAX

Oil-lubricated chain


Clean and lubrication the chain after each ride, especially after riding in wet weather.




Use a stiff brush to remove mud or sand from the chain's surface and between the links, wipe the surface with a dry cloth and a neutral detergent. For stubborn dirt, scrub with a brush and soapy water or neutral detergent.



After cleaning, please lubricate the chain. Each drop should be on the roller and bearing, then pedaling to ensure full chain have been lubricated, remove excess grease from the outside of the chain by using a cloth, this prevents a buildup of dirt and dust.



DO NOT soak chain in detergents or organic solvent such as gasoline and diesel.



DO NOT use acidic or alkali based detergents (such as rust cleaners).


K SHOP

Single Reel Holder

Display Board




- Item No.: 13V-02-reelholder
- Material: Steel
- Available with all speeds



- Item No.: 13V-02-board-60
- Material: Steel

Display Stand

Waxed Display Stand



- Material: Acrylic
- Available with all speeds



- Material: Paper
- Available with all speeds

PROMOTIONAL GOODS


Chain Display Stand



Tool wallet



Promotional stickers



Keychain




Promotional wax 10ml



Pen



Outdoor Mobile Tent / Feather Flag / Tablecloth





Link To Perfection

KMC (KUEI MENG) International Inc.

www.kmcchain.com



KMC Chain



[kmcchaintw](https://www.youtube.com/kmcchaintw)

8F-5, No.425, Jhong Hua Road, Yong Kang
Dist., Tainan City 71079, Taiwan, R.O.C.

TEL: 886-6-201 9103 FAX: 886-6-201 9107

E-mail : kmcweb@kmcchain.com